



**ALPHA**acoustic-Multi  
MULTI-PATTERN ACOUSTIC PANELS




## DESCRIPTION

**ALPHA**coustic-Multi is a multi-pattern, fabric wrapped sound absorptive panel with innovative form. It offers high installation flexibility, with multi combination patterns, according to aesthetic needs. These panels with their irregular shape offer an absolute creative and expressive freedom. They offer reduction of the disturbing noise reflections, improving the interior acoustics, reducing the reverberated noise.







It can be installed on:

- Walls
- Ceilings



Typical applications:

- Reception areas
- Offices
- Restaurants
- Recording studios
- Discos
- Waiting rooms
- Classrooms
- Teleconference Rooms
- Call Centers



## ACOUSTIC CHARACTERISTICS

**ALPHA**coustic-Multi is specifically designed to achieve maximum sound absorption at a specific acoustic range band. Our team of acoustic engineers can assist in choosing the acoustic panel with the most adequate sound absorption index ( $\alpha_s$ ) for your project according to ISO 354.2003 and ISO 11654.1997.

Indicative practical sound absorption coefficient ( $\alpha_p$ ) per square meter, and weighted sound absorption coefficient ( $\alpha_w$ ) can be found in the following table:

ALPHAcoustic-Multi Type:	Practical Sound Absorption Coefficient $\alpha_p$						Weighted Sound Absorption Coefficient ( $\alpha_w$ )	Sound Absorption Class
	Frequency (Hz)							
	125	250	500	1000	2000	4000		
Thickness 30 mm	0.05	0.3	0.75	0.8	0.9	0.85	0.8	B
Thickness 50 mm	0.20	0.75	0.9	1	1	1	1	A
Thickness 80 mm	0.45	0.95	1	1	1	1	1	A


Depending on the requirements of each application and in order to achieve sound absorption in a wide range of frequencies, a combination of different sound absorptive materials can be applied.

## INSTALLATION

---

Multi-pattern Acoustic Panels **ALPHA**coustic-Multi can be easily installed on the wall with their simple hanging system at the back of the panel. The panels can be also suspended from the ceiling with properly designed system.

The acoustic panel can be produced in different dimensions and thickness upon request.



## EXTERNAL COVERING




---

Acoustic panels are available with different external covering depending on the aesthetics of each project. The most common is a special sound transparent fabric with high endurance and excellent quality.

They are available in various colours and can be self extinguished.

*(Flamability test EN13501-1 Class B, s2, d0)*

For more color options, please refer to our sound transparent fabric [ALPHA](#)coustic CL. Due to their increased sound transmissibility, the sound absorption capabilities of the internal material are not affected.





**ALPHA ACOUSTIKI** Ltd combines technical experience and scientific knowledge of its Engineers which are specialized in the field of room acoustics since 1980. Our complete range of innovative acoustics products can offer solutions to complex architectural acoustic projects. Some of our Acoustics product creations:

- **ALPHA**acoustic-AB: Acoustic vertical Baffles
- **ALPHA**acoustic-AM: Self standing Acoustic Panels
- **ALPHA**acoustic-AP.C: Acoustic Panels with fabric
- **ALPHA**acoustic-Desk: Acoustic Partisions on the Desk
- **ALPHA**acoustic-Kiklos: Round Acoustic Panels
- **ALPHA**acoustic-Kima: Wave Acoustical Ceiling Cloud
- **ALPHA**acoustic-Puzl: Special form Acoustic Panels

and many more .....

Our technical department (tech@alphacoustic.com), will be glad in assisting you the best solution to improve the Architectural Acoustics in your project.



#### CONTACT



ALPHA ACOUSTIKI Ltd.  
73, Apostolopoulou Str.  
Chalandri, Greece 15231



T: +30 210 6779875  
F: +30 210 6779269



info@alphacoustic.com  
www.alphacoustic.com