



ALPHA^{acoustic}-Multi.Ortho

MULTI-PATTERN ACOUSTIC PANELS


ALPHA ACOUSTIKI
In TUNE with YOUR needs

DESCRIPTION

ALPHAcoustic-Multi.Ortho is a multi-pattern, fabric wrapped sound absorptive panel with innovative form. It offers high installation flexibility, with multi combination patterns, according to aesthetic needs. These panels with their irregular shape offer an absolute creative and expressive freedom. They offer reduction of the disturbing noise reflections, improving the interior acoustics, reducing the reverberated noise.


It can be installed on:

- Walls
- Ceilings



Typical applications:

- Reception areas
- Offices
- Restaurants
- Recording studios
- Discos
- Waiting rooms
- Classrooms
- Teleconference Rooms
- Call Centers



ACOUSTIC CHARACTERISTICS

ALPHAcoustic-Multi.Ortho is specifically designed to achieve maximum sound absorption at a specific acoustic range band. Our team of acoustic engineers can assist in choosing the acoustic panel with the most adequate sound absorption index (α_s) for your project according to ISO 354.2003 and ISO 11654.1997.

Indicative practical sound absorption coefficient (α_p) per square meter, and weighted sound absorption coefficient (α_w) can be found in the following table:

ALPHAcoustic-Multi.Ortho Type:	Practical Sound Absorption Coefficient α_p						Weighted Sound Absorption Coefficient (α_w)	Sound Absorption Class
	Frequency (Hz)							
	125	250	500	1000	2000	4000		
Thickness 30 mm	0.05	0.3	0.75	0.8	0.9	0.85	0.8	B
Thickness 50 mm	0.20	0.75	0.9	1	1	1	1	A
Thickness 80 mm	0.45	0.95	1	1	1	1	1	A


Depending on the requirements of each application and in order to achieve sound absorption in a wide range of frequencies, a combination of different sound absorptive materials can be applied.

INSTALLATION

Multi-pattern Acoustic Panels [ALPHAcoustic-Multi.Ortho](#) can be easily installed on the wall with their simple hanging system at the back of the panel.

The panels can be also suspended from the ceiling with properly designed system.

The acoustic panel can be produced in different dimensions and thickness upon request.





EXTERNAL COVERING

Acoustic panels are available with different external covering depending on the aesthetics of each project. All the fabrics present sound transparent characteristics with high endurance and excellent quality.

They are available in various colours and can be self extinguished.

(Flamability test EN13501-1 Class B, s2, d0)

For more color options, please refer to our sound transparent fabric [ALPHAcoustic CL](#). Due to their increased sound transmissibility, the sound absorption capabilities of the internal material are not affected.





In **TUNE** with **YOUR** needs

ALPHA ACOUSTIKI S.A. combines technical experience and scientific knowledge of its Engineers who are specialized in the field of room acoustics since 1980.

We create workplaces where people choose to work, tailored to the specific requirements of each job, with particular attention to the acoustic necessities of the employee.

DESIGNING FOR WELL-BEING

The concept designed of ALPHAcoustic products puts in practice all fundamentals of well-being.

Focus on employee and workplace well-being, can result in improved productivity, increased confidence, offering a better staff concentration.

Our Acoustic products help to achieve the WELL Building Standard™ Certification.

Our technical department (tech@alphacoustic.com), would be happy to help you improve the Architectural Acoustics in your project.



CONTACT



ALPHA ACOUSTIKI S.A.
EUID: ELGEMI.004207401000



T: +30 210 6779875



info@alphacoustic.com
www.alphacoustic.com

Eco-friendly



Recyclable